Neuroscience Letters, 185 (1995) 220–222
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Accili, E.A., Dhatt, N., Buchan A.M.J., Neural somatostatin, vasoactive intestinal polypeptide and substance P in canine and human jejunum, 37
Aggelopoulos, N.C., Edgley, S.A., Segmental localisation of the relays mediating crossed inhibition of hindlimb motoneurones from group II afferents in the anaesthetized cat spinal cord, 60
Alici, K., Heinemann, U., Effects of low glucose levels on changes in $[Ca^{2+}]_o$ induced by stimulation of Schaffer collaterals under conditions of blocked chemical synaptic transmission in rat hippocampal slices, 5
Amara, A., Coussemacq, M., Geffard, M., Molecular detection of methionine in rat brain using specific antibodies, 147
Ambrósio, A.F., see Malva, J.O., 83
Ambrosio, S., see Ballarin, M., 29
Aoki, K., see Matsushima, T., 179
Arancibia, S., Lyonnet, D., Roussel, J.-P., Ixart, G., Astier H., The inhibitory effect of picrotoxin on basal and cold-induced thyrotropin secretion involves somatostatin mediation, 139
Arbuckle, J.B., Docherty, R.J., Expression of tetrodotoxin-resistant sodium channels in capsaicin-sensitive dorsal root ganglion neurons of adult rats, 70
Arikoski, J., see Ruusuvirta, T., 123
Arima, H., see Murase, T., 103
Ariyama, T., see Yokoji, H., 175
Asahi, M., see Koide, T., 183
Astier H., see Arancibia, S., 139
Avoli, M., see Lücke, A., 155

Baker, L.P., Benjamin Peng, H., Induction of acetylcholine receptor cluster formation by local application of growth factors in cultured *Xenopus* muscle cells, 135
Ballarin, M., Reiriz, J., Ambrosio, S., Mahy, N., Effect of locally infused 2-chloroadenosine, an A1 receptor agonist, on spontaneous and evoked dopamine release in rat neostriatum, 29
Benjamin Peng, H., see Baker, L.P., 135
Bergold, P.J., see Shen, H., 115
Birling, M.-C., Nussbaum, J.-L., Comparative immunohistochemical study of C1G5F2 antigen and myelin/oligodendrocyte glycoprotein (MOG) expression in brain of several animal species, 9
Brüning, G., NADPH diaphorase is not inhibited by ethylenediaminetetraacetic acid and is not specific for nitric oxide synthase in the choroid plexus of rat and mouse, 16
Bscheidl, C., see Heppelmann, B., 199
Buchan A.M.J., see Accili, E.A., 37
Budhram-Mahadeo, V., Lillycrop, K.A., Latchman, D.S., The levels of the antagonistic POU family transcription factors Brn-3a and Brn-3b in neuronal cells are regulated in opposite directions by serum growth factors, 48
Burt, D., see Uchida, I., 203
Busch, C.R., see Goehler, L.E., 163

Carvalho, A.P., see Malva, J.O., 83
Carvalho, C.M., see Malva, J.O., 83
Cass, W.A., Gerhardt, G.A., Zhang, Z., Ovadia, A., Gash, D.M., Increased dopamine clearance in the non-lesioned striatum of rhesus monkeys with unilateral 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) striatal lesions, 52
Chan, J., see Shen, H., 115
Chang, F.-C., see Yi, P.-L., 207
Coussemacq, M., see Amara, A., 147
Cova, L., see Gritti, A., 151
Cowburn, R.F., see Garlind, A., 131
Cunha, R.A., see Malva, J.O., 83

Dawson, D.A., Masayasu, H., Graham, D.I., Macrae, I.M., The neuroprotective efficacy of ebselen (a glutathione peroxidase mimic) on brain damage induced by transient focal cerebral ischaemia in the rat, 65
Deguchi, T., see Yokoji, H., 175
Delivoria-Papadopoulos, M., see Graham, E., 159
Dhatt, N., see Accili, E.A., 37
Docherty, R.J., see Arbuckle, J.B., 70

Edgley, S.A., see Aggelopoulos, N.C., 60
Erdö, S.L., 127

Fernandez, K., see Mohiuddin, L., 20
Fernyhough, P., see Mohiuddin, L., 20
Filipkowski, R.K., see Konopka, D., 167
Finch, C.E., see Zarow, C. 87
Forster, C., Greiner, T., Nischik, M., Schmelz, M., Handwerker, H.O., Neurogenic flare responses are heterogeneous in superficial and deep layers of human skin, 33
Fowler, C.J., see Garlind, A., 131

Galli, R., see Gritti, A., 151
Garlind, A., Cowburn, R.F., Wiehager, B., Ravid, R., Winblad, B., Fowler, C.J., Preservation of κ_1 opioid receptor recognition site density and regulation by G-proteins in the temporal cortex of patients with Alzheimer's disease, 131
Gash, D.M., see Cass, W.A., 52
Gean, P.-W., see Yi, P.-L., 207
Geffard, M., see Amara, A., 147
Gerhardt, G.A., see Cass, W.A., 52
Goehler, L.E., Busch, C.R., Tartaglia, N., Relton, J., Sisk, D., Maier, S.F., Watkins, L.R., Blockade of cytokine induced conditioned taste aversion by subdiaphragmatic vagotomy: further evidence for vagal mediation of immune-brain communication, 163
Goytia, E.J., see Kicliter, E., 144
Graham, D.I., see Dawson, D.A., 65
Graham, E., Mishra, O.P., Delivoria-Papadopoulos, M., Effect of in utero hypoxia on the ouabain/strophanthidin binding site of the fetal guinea pig brain cell membrane Na^+,K^+-ATPase, 159
Greenberg, D.A., see M. Sasahira, 95
Greiner, T., see Forster, C., 33
Gritti, A., Cova, L., Parati, E.A., Galli, R., Vescovi, A.L., Basic fibroblast growth factor supports the proliferation of epidermal growth factor-generated neuronal precursor cells of the adult mouse CNS, 151
Grosche, J., Härtig, W., Reichenbach, A., Expression of glial fibrillary acidic protein (GFAP), glutamine synthetase (GS), and Bcl-2 protooncogene protein by Müller (glial) cells in retinal light damage of rats, 119

Handwerker, H.O., see Forster, C., 33
Härtig, W., see Grosche, J., 119

Neuroscience Letters, 185 (1995) 220–222
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Accili, E.A., Dhatt, N., Buchan A.M.J., Neural somatostatin, vasoactive intestinal polypeptide and substance P in canine and human jejunum, 37
Aggelopoulos, N.C., Edgley, S.A., Segmental localisation of the relays mediating crossed inhibition of hindlimb motoneurones from group II afferents in the anaesthetized cat spinal cord, 60
Alici, K., Heinemann, U., Effects of low glucose levels on changes in $[Ca^{2+}]_o$ induced by stimulation of Schaffer collaterals under conditions of blocked chemical synaptic transmission in rat hippocampal slices, 5
Amara, A., Coussemacq, M., Geffard, M., Molecular detection of methionine in rat brain using specific antibodies, 147
Ambrósio, A.F., see Malva, J.O., 83
Ambrosio, S., see Ballarin, M., 29
Aoki, K., see Matsushima, T., 179
Arancibia, S., Lyonnet, D., Roussel, J.-P., Ixart, G., Astier H., The inhibitory effect of picrotoxin on basal and cold-induced thyrotropin secretion involves somatostatin mediation, 139
Arbuckle, J.B., Docherty, R.J., Expression of tetrodotoxin-resistant sodium channels in capsaicin-sensitive dorsal root ganglion neurons of adult rats, 70
Arikoski, J., see Ruusuvirta, T., 123
Arima, H., see Murase, T., 103
Ariyama, T., see Yokoji, H., 175
Asahi, M., see Koide, T., 183
Astier H., see Arancibia, S., 139
Avoli, M., see Lücke, A., 155

Baker, L.P., Benjamin Peng, H., Induction of acetylcholine receptor cluster formation by local application of growth factors in cultured *Xenopus* muscle cells, 135
Ballarin, M., Reiriz, J., Ambrosio, S., Mahy, N., Effect of locally infused 2-chloroadenosine, an A1 receptor agonist, on spontaneous and evoked dopamine release in rat neostriatum, 29
Benjamin Peng, H., see Baker, L.P., 135
Bergold, P.J., see Shen, H., 115
Birling, M.-C., Nussbaum, J.-L., Comparative immunohistochemical study of C1G5F2 antigen and myelin/oligodendrocyte glycoprotein (MOG) expression in brain of several animal species, 9
Brüning, G., NADPH diaphorase is not inhibited by ethylenediaminetetraacetic acid and is not specific for nitric oxide synthase in the choroid plexus of rat and mouse, 16
Bscheidl, C., see Heppelmann, B., 199
Buchan A.M.J., see Accili, E.A., 37
Budhram-Mahadeo, V., Lillycrop, K.A., Latchman, D.S., The levels of the antagonistic POU family transcription factors Brn-3a and Brn-3b in neuronal cells are regulated in opposite directions by serum growth factors, 48
Burt, D., see Uchida, I., 203
Busch, C.R., see Goehler, L.E., 163

Carvalho, A.P., see Malva, J.O., 83
Carvalho, C.M., see Malva, J.O., 83
Cass, W.A., Gerhardt, G.A., Zhang, Z., Ovadia, A., Gash, D.M., Increased dopamine clearance in the non-lesioned striatum of rhesus monkeys with unilateral 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) striatal lesions, 52
Chan, J., see Shen, H., 115
Chang, F.-C., see Yi, P.-L., 207
Coussemacq, M., see Amara, A., 147
Cova, L., see Gritti, A., 151
Cowburn, R.F., see Garlind, A., 131
Cunha, R.A., see Malva, J.O., 83

Dawson, D.A., Masayasu, H., Graham, D.I., Macrae, I.M., The neuroprotective efficacy of ebselen (a glutathione peroxidase mimic) on brain damage induced by transient focal cerebral ischaemia in the rat, 65
Deguchi, T., see Yokoji, H., 175
Delivoria-Papadopoulos, M., see Graham, E., 159
Dhatt, N., see Accili, E.A., 37
Docherty, R.J., see Arbuckle, J.B., 70

Edgley, S.A., see Aggelopoulos, N.C., 60
Erdö, S.L., 127

Fernandez, K., see Mohiuddin, L., 20
Fernyhough, P., see Mohiuddin, L., 20
Filipkowski, R.K., see Konopka, D., 167
Finch, C.E., see Zarow, C. 87
Forster, C., Greiner, T., Nischik, M., Schmelz, M., Handwerker, H.O., Neurogenic flare responses are heterogeneous in superficial and deep layers of human skin, 33
Fowler, C.J., see Garlind, A., 131

Galli, R., see Gritti, A., 151
Garlind, A., Cowburn, R.F., Wiehager, B., Ravid, R., Winblad, B., Fowler, C.J., Preservation of κ_1 opioid receptor recognition site density and regulation by G-proteins in the temporal cortex of patients with Alzheimer's disease, 131
Gash, D.M., see Cass, W.A., 52
Gean, P.-W., see Yi, P.-L., 207
Geffard, M., see Amara, A., 147
Gerhardt, G.A., see Cass, W.A., 52
Goehler, L.E., Busch, C.R., Tartaglia, N., Relton, J., Sisk, D., Maier, S.F., Watkins, L.R., Blockade of cytokine induced conditioned taste aversion by subdiaphragmatic vagotomy: further evidence for vagal mediation of immune-brain communication, 163
Goytia, E.J., see Kicliter, E., 144
Graham, D.I., see Dawson, D.A., 65
Graham, E., Mishra, O.P., Delivoria-Papadopoulos, M., Effect of in utero hypoxia on the ouabain/strophanthidin binding site of the fetal guinea pig brain cell membrane Na^+,K^+-ATPase, 159
Greenberg, D.A., see M. Sasahira, 95
Greiner, T., see Forster, C., 33
Gritti, A., Cova, L., Parati, E.A., Galli, R., Vescovi, A.L., Basic fibroblast growth factor supports the proliferation of epidermal growth factor-generated neuronal precursor cells of the adult mouse CNS, 151
Grosche, J., Härtig, W., Reichenbach, A., Expression of glial fibrillary acidic protein (GFAP), glutamine synthetase (GS), and Bcl-2 protooncogene protein by Müller (glial) cells in retinal light damage of rats, 119

Handwerker, H.O., see Forster, C., 33
Härtig, W., see Grosche, J., 119

Hayashida, Y., see Maeda, M., 111
Heinemann, U., see Alici, K., 5
Helisalmi, S., see Lehtovirta, M., 13
Heppelmann, B., Bscheidl, C., Proportion of NADPH-diaphorase reactive sympathetic efferents innervating the normal and inflamed knee joint of the cat, 199
Hirai, S., see Okamoto, K., 79
Hodaie, M., Jeevaratnam, P., Salter, M.W., Roach, A., Regulation of intracellular calcium and preprotachykinin neurotransmitter precursor gene expression by patterned electrical stimulation in rat sympathetic neurons, 195
Hoshimaru, M., see Koide, T., 183
Hung, C.-R., see Yi, P.-L., 207

Igelmund, P., see Spangenberger, H., 217
Ikegami, Y., see Maeda, M., 111
Inazawa, J., see Yokoji, H., 175
Inoue, M., see Maeda, M., 111
Ito, M., see Murase, T., 103
Iwasaki, Y., see Murase, T., 103
Ixart, G., see Arancibia, S., 139

Jeevaratnam, P., see Hodaie, M., 195

Kaczmarek, L., see Konopka, D., 167
Kamatchi, G., see Uchida, I., 203
Kamishita, T., see Torii, N., 1
Kass, I.S., see Shen, H., 115
Katsuta, K., see Ueda, Y., 107
Kicliter, E., Goytia, E.J., A comparison of spectral response functions of positive and negative phototaxis in two anuran amphibians, *Rana pipiens* and *Leptodactylus pentadactylus,* 144
Kikuchi, H., see Koide, T., 183
Köhling, R., see Lücke, A., 155
Koide, T., Takahashi, J.B., Hoshimaru, M., Kojima, M., Otsuka, T., Asahi, M., Kikuchi, H., Localization of trkB and low-affinity nerve growth factor receptor mRNA in the developing rat retina, 183
Koivisto, K., see Lehtovirta, M., 13
Kojima, M., see Koide, T., 183
Kondo, K., see Murase, T., 103
Konopka, D., Nowicka, D., Filipkowski, R.K., Kaczmarek, L., Kainate-evoked secondary gene expression in the rat hippocampus, 167
Korhonen, T., see Ruusuvirta, T., 123
Krieger, A.J., see Maeda, M., 111
Ky, K.N., see Rauscher, F.H., 44

Lakics, V., 127
Latchman, D.S., see Budhram-Mahadeo, V., 48
Law R.O., Taurine efflux and cell volume regulation in cerebral cortical slices during chronic hypernatraemia, 56
Lehtovirta, M., Helisalmi, S., Mannermaa, A., Soininen, H., Koivisto, K., Ryynänen, M., Riekkinen Sr., P., Apolipoprotein E polymorphism and Alzheimer's disease in Eastern Finland, 13
Lillycrop, K.A., see Budhram-Mahadeo, V., 48
Lowry, T., see M. Sasahira, 95
Lücke, A., Nagao, T., Köhling, R., Avoli, M., Synchronous potentials and elevations in $[K^+]_o$ in the adult rat entorhinal cortex maintained in vitro, 155
Lung, C.-C., see Mooradian, A.D., 211
Lyonnet, D., see Arancibia, S., 139

Ma, N., see Wako, K., 171
Macrae, I.M., see Dawson, D.A., 65
Maeda, M., Inoue, M., Takao, S., Ikegami, Y., Nakai, M., Krieger, A.J., Sapru, H.N., Hayashida, Y., Chemical stimulation of the nucleus tractus solitarii decreases spinal cord blood flow in anesthetized rats, 111
Mahy, N., see Ballarin, M., 29
Maier, S.F., see Goehler, L.E., 163
Malva, J.O., Ambrósio, A.F., Cunha, R.A., Ribeiro, J.A., Carvalho, A.P., Carvalho, C.M., A functionally active presynaptic high-affinity kainate receptor in the rat hippocampal CA3 subregion, 83
Mannermaa, A., see Lehtovirta, M., 13
Masayasu, H., see Dawson, D.A., 65
Matsushima, T., Aoki, K., Potentiation and depotentiation of DNQX-sensitive fast excitatory synaptic transmission in telencephalone of the quail chick, 179
Misawa, H., see Yokoji, H., 175
Mishra, O.P., see Graham, E., 159
Miura, M., see Takahashi, A., 214
Miura, Y., see Murase, T., 103
Miyamoto, M.D., see Provan, S.D., 187
Mohiuddin, L., Fernandez, K., Tomlinson, D.R., Fernyhough, P., Nerve growth factor and neurotrophin-3 enhance neurite outgrowth and up-regulate the levels of messenger RNA for growth-associated protein GAP-43 and Tα1 α-tubulin in cultured adult rat sensory neurones, 20
Mooradian, A.D., Lung, C.-C., Pinnas, J.L., Cholesterol enriched diet enhances malondialdehyde modification of proteins in cerebral microvessels of rabbits, 211
Morisaki, S., see Tokutake, S., 99
Morita, M., see Okamoto, K., 79
Murase, T., Kondo, K., Arima, H., Iwasaki, Y., Ito, M., Miura, Y., Oiso, Y., The expression of pituitary adenylate cyclase-activating polypeptide (PACAP) mRNA in rat brain: possible role of endogenous PACAP in vasopressin release, 103

Nagao, T., see Lücke, A., 155
Nagase, H., see Tokutake, S., 99
Nakagawa, T., see Okamoto, K., 79
Nakai, M., see Maeda, M., 111
Nakanishi, H., see Ueda, Y., 107
Nikmanesh, F.Gh., see Spangenberger, H., 217
Nischik, M., see Forster, C., 33
Noble, F., Roques, B.P., Assessment of endogenous enkephalins efficacy in the hot plate test in mice: comparative study with morphine, 75
Nowicka, D., see Konopka, D., 167
Nussbaum, J.-L., see Birling, M.-C., 9

Oiso, Y., see Murase, T., 103
Okamoto, K., Hirai, S., Nakagawa, T., Sakurai, A., Morita, M., Yanagisawa, T., Parvalbumin-positive small myelinated fiber bundles in anterior marginal areas in the human cervical cord, 79
O'Regan, M.H., Smith-Barbour, M., Perkins, L.M., Phillis, J.W., A possible role for phospholipases in the release of neurotransmitter amino acids from ischemic rat cerebral cortex, 191
Otsu, Y., see Torii, N., 1
Otsuka, T., see Koide, T., 183
Ovadia, A., see Cass, W.A., 52
Oyanagi, S., see Tokutake, S., 99

Parati, E.A., see Gritti, A., 151

Penttonen, M., see Ruusuvirta, T., 123
Perkins, L.M., see O'Regan, M.H., 191
Petersen, S.B., see Westergaard, N., 24
Phillis, J.W., see O'Regan, M.H., 191
Pinnas, J.L., see Mooradian, A.D., 211
Provan, S.D., Miyamoto, M.D., Real-time detection of mitochondrial inhibition at frog motor nerve terminals using increases in the spatial variance in probability of transmitter release, 187

Rauscher, F.H., Shaw, G.L., Ky, K.N., Listening to Mozart enhances spatial-temporal reasoning: towards a neurophysiological basis, 44
Ravid, R., see Garlind, A., 131
Reichenbach, A., see Grosche, J., 119
Reiriz, J., see Ballarin, M., 29
Relton, J., see Goehler, L.E., 163
Ribeiro, J.A., see Malva, J.O., 83
Riekkinen Sr., P., see Lehtovirta, M., 13
Roach, A., see Hodaie, M., 195
Roques, B.P., see Noble, F., 75
Ross, D.T., see Sabol Jones, M.K., 91
Roussel, J.-P., see Arancibia, S., 139
Ruusuvirta, T., Korhonen, T., Penttonen, M., Arikoski, J., Hippocampal evoked potentials to pitch deviances in an auditory oddball situation in the rabbit: no human mismatch-like dependence on standard stimuli, 123
Ryynänen, M., see Lehtovirta, M., 13

Sabol Jones, M.K., Ross, D.T., The partial μ opiate agonist buprenorphine protects a sub-population of thalamic reticular neurons following cardiac arrest in rats, 91
Sakurai, A., see Okamoto, K., 79
Salter, M.W., see Hodaie, M., 195
Sapru, H.N., see Maeda, M., 111
Sasahira, M., Lowry, T., Simon, R.P., Greenberg, D.A., Epileptic tolerance: prior seizures protect against seizure-induced neuronal injury, 95
Schmelz, M., see Forster, C., 33
Schousboe, A., see Westergaard, N., 24
Sebestyén, M.G., 127
Semba, R., see Wako, K., 171
Shaw, G.L., see Rauscher, F.H., 44
Shen, H., Chan, J., Kass, I.S., Bergold, P.J., Transient acidosis induces delayed neurotoxicity in cultured hippocampal slices, 115
Shiroyama, T., see Wako, K., 171
Simon, R.P., see M. Sasahira, 95
Sisk, D., see Goehler, L.E., 163
Smith-Barbour, M., see O'Regan, M.H., 191
Soininen, H., see Lehtovirta, M., 13
Sonnewald, U., see Westergaard, N., 24
Spangenberger, H., Nikmanesh, F.Gh., Igelmund, P., Effects of adenosine on synaptic transmission in hippocampal slices from hibernating and warm-acclimated Turkish hamsters and rats, 217

Takahashi, A., Miura, M., Neuronal expression of FOS protein in the nucleus tractus solitarii and the dorsal motor nucleus of the vagus nerve after i.p. injection of ulcerogenic aspirin, 214
Takahashi, J.B., see Koide, T., 183
Takahashi, R., see Yokoji, H., 175
Takao, S., see Maeda, M., 111
Tartaglia, N., see Goehler, L.E., 163
Tokutake, S., Nagase, H., Morisaki, S., Oyanagi, S., Aluminium detected in senile plaques and neurofibrillary tangles is contained in lipofuscin granules with silicon, probably as aluminosilicate, 99
Tomberg, C., Differential voluntary programming of fingers extensor commands revealed by non-invasive transcranial magnetic stimulation of the human brain, 41
Tomlinson, D.R., see Mohiuddin, L., 20
Torii, N., Kamishita, T., Otsu, Y., Tsumoto, T., An inhibitor for calcineurin, FK506, blocks induction of long-term depression in rat visual cortex, 1
Tsai, J.-J., see Yi, P.-L., 207
Tsumoto, T., see Torii, N., 1

Uchida, I., Kamatchi, G., Burt, D., Yang, J., Etomidate potentiation of $GABA_A$ receptor gated current depends on the subunit composition, 203
Ueda, Y., Katsuta, K., Nakanishi, H., Yoshida, K., Non-competitive NMDA antagonists, FR115427 and MK801, enhance neuronal survival in primary culture, 107

Vescovi, A.L., see Gritti, A., 151
Vinpocetine is a highly potent neuroprotectant against veratridine-induced cell death in primary cultures of rat cerebral cortex, 127

Wako, K., Ma, N., Shiroyama, T., Semba, R., Glial uptake of intracerebroventricularly injected D-serine in the rat brain: an immunocytochemical study, 171
Watkins, L.R., see Goehler, L.E., 163
Westergaard, N., Sonnewald, U., Petersen, S.B., Schousboe, A., Glutamate and glutamine metabolism in cultured GABAergic neurons studied by ^{13}C NMR spectroscopy may indicate compartmentation and mitochondrial heterogeneity, 24
Wiehager, B., see Garlind, A., 131
Winblad, B., see Garlind, A., 131

Yanagisawa, T., see Okamoto, K., 79
Yang, J., see Uchida, I., 203
Yi, P.-L., Chang, F.-C., Tsai, J.-J., Hung, C.-R., Gean, P.-W., The involvement of metabotropic glutamate receptors in long-term depression of *N*-methyl-D-aspartate receptor-mediated synaptic potential in the rat hippocampus, 207
Yokoji, H., Ariyama, T., Takahashi, R., Inazawa, J., Misawa, H., Deguchi, T., cDNA cloning and chromosomal localization of the human ciliary neurotrophic factor gene, 175
Yoshida, K., see Ueda, Y., 107

Zarow, C., Finch, C.E., Limited responses of neuronal mRNAs to unilateral lesions of the rat entorhinal cortex, 87
Zhang, Z., see Cass, W.A., 52